

LOT



REF

511



2013-01-31

epoc BGE, BGEM **LOT** 03-nnnnnn-nn, 07-nnnnnn-nn

		\bar{X}	R	
L1	pH	-	7.131	7.081 - 7.181
	pCO2	mmHg	69.3	61.0 - 77.6
		kPa	9.24	8.13 - 10.35
	pO2	mmHg	78.3	63.3 - 93.3
		kPa	10.44	8.44 - 12.44
	Na+	mmol/L mEq/L	111	106 - 116
	K+	mmol/L mEq/L	1.8	1.4 - 2.2
	Ca++	mmol/L	1.36	1.26 - 1.46
		mg/dL	5.4	5.0 - 5.9
		mEq/L	2.7	2.5 - 2.9
	Glucose	mg/dL	75	64 - 86
		mmol/L	4.1	3.5 - 4.7
		g/L	0.75	0.64 - 0.86
	Lactate	mmol/L	0.69	0.39 - 0.99
		mg/dL	6.2	3.5 - 8.9
g/L		0.06	0.03 - 0.09	

LOT



REF

576



2012-05-31

epoc BGE, BGEM **LOT** 03-nnnnn-nn, 07-nnnnn-nn

			\bar{X}	R
L1	pH	-	7.127	7.077 - 7.177
	pCO2	mmHg	66.7	58.7 - 74.7
		kPa	8.89	7.82 - 9.96
	pO2	mmHg	70.7	55.7 - 85.7
		kPa	9.42	7.43 - 11.42
	Na+	mmol/L mEq/L	113	108 - 118
	K+	mmol/L mEq/L	1.8	1.4 - 2.2
	Ca++	mmol/L	1.42	1.31 - 1.53
		mg/dL	5.7	5.3 - 6.1
		mEq/L	2.8	2.6 - 3.1

LOT



L1:24231

REF

511



2013-07-31

epoc BGE, BGEM LOT 03-nnnnnn-nn, 07-nnnnnn-nn

		\bar{X}	R	
L1	pH	-	7.116	7.066 - 7.166
	pCO2	mmHg	71.6	63.0 - 80.2
		kPa	9.55	8.40 - 10.69
	pO2	mmHg	69.5	54.5 - 84.5
		kPa	9.26	7.26 - 11.26
	Na+	mmol/L mEq/L	112	107 - 117
	K+	mmol/L mEq/L	1.8	1.4 - 2.2
	Ca++	mmol/L	1.38	1.28 - 1.48
		mg/dL	5.5	5.1 - 5.9
		mEq/L	2.8	2.6 - 3.0
	Glucose	mg/dL	78	67 - 89
		mmol/L	4.3	3.7 - 4.9
		g/L	0.78	0.66 - 0.89
	Lactate	mmol/L	0.67	0.37 - 0.97
		mg/dL	6.1	3.4 - 8.8
g/L		0.06	0.03 - 0.09	

LOT



REF 513

2013-01-31

epoc BGE, BGEM **LOT** 03-nnnnnn-nn, 07-nnnnnn-nn

		\bar{X}	R	
L3	pH	-	7.644	7.594 - 7.694
	pCO2	mmHg	20.4	16.4 - 24.4
		kPa	2.72	2.19 - 3.25
	pO2	mmHg	141.7	120.4 - 163.0
		kPa	18.89	16.06 - 21.72
	Na+	mmol/L mEq/L	161	156 - 166
	K+	mmol/L mEq/L	6.3	5.8 - 6.8
	Ca++	mmol/L	0.55	0.49 - 0.61
		mg/dL	2.2	2.0 - 2.4
		mEq/L	1.1	1.0 - 1.2
	Glucose	mg/dL	260	203 - 317
		mmol/L	14.3	11.1 - 17.4
		g/L	2.60	2.03 - 3.17
	Lactate	mmol/L	6.23	4.83 - 7.63
		mg/dL	56.1	43.5 - 68.8
g/L		0.56	0.44 - 0.69	

LOT



REF

578



2012-05-31

epoc BGE, BGEM **LOT** 03-nnnnn-nn, 07-nnnnn-nn

			\bar{X}	R
L3	pH	-	7.668	7.618 - 7.718
	pCO2	mmHg	19.0	15.0 - 23.0
		kPa	2.53	2.00 - 3.06
	pO2	mmHg	141.3	120.1 - 162.5
		kPa	18.84	16.01 - 21.66
	Na+	mmol/L mEq/L	160	155 - 165
	K+	mmol/L mEq/L	6.1	5.6 - 6.6
	Ca++	mmol/L	0.59	0.53 - 0.65
		mg/dL	2.4	2.1 - 2.6
		mEq/L	1.2	1.1 - 1.3

LOT



L3:24233

REF

513



2013-07-31

epoc BGE, BGEM LOT 03-nnnnnn-nn, 07-nnnnnn-nn

		\bar{X}	R	
L3	pH	-	7.659	7.609 - 7.709
	pCO2	mmHg	19.6	15.6 - 23.6
		kPa	2.62	2.09 - 3.15
	pO2	mmHg	140.3	119.3 - 161.3
		kPa	18.70	15.90 - 21.51
	Na+	mmol/L mEq/L	162	157 - 167
	K+	mmol/L mEq/L	6.3	5.8 - 6.8
	Ca++	mmol/L	0.54	0.48 - 0.60
		mg/dL	2.2	1.9 - 2.4
		mEq/L	1.1	1.0 - 1.2
	Glucose	mg/dL	285	222 - 348
		mmol/L	15.7	12.2 - 19.1
		g/L	2.85	2.22 - 3.48
	Lactate	mmol/L	6.84	5.30 - 8.38
		mg/dL	61.6	47.8 - 75.5
g/L		0.62	0.48 - 0.76	

LOT



REF

CD-570405D



2011-12-31

		\bar{X}	R
Hct	PCV	23	20 - 26
	L/L	0.23	0.20 - 0.26

LOT



REF

CD-570405D



2012-02-28

		\bar{X}	R
Hct	PCV	22	19 - 25
	L/L	0.22	0.19 - 0.25

LOT



REF

CD-570405D



2013-07-31

		\bar{X}	R
Hct	PCV	24	21 - 27
	L/L	0.24	0.21 - 0.27

LOT



REF

CD-570405D



2013-09-30

		\bar{X}	R
Hct	PCV	22	19 - 25
	L/L	0.22	0.19 - 0.25

LOT



REF

CD-570406D



2012-02-29

		\bar{X}	R
Hct	PCV	43	40 - 46
	L/L	0.43	0.39 - 0.46

LOT



REF

CD-570406D



2013-05-31

		\bar{X}	R
Hct	PCV	42	39 - 45
	L/L	0.42	0.39 - 0.46

LOT



REF

CD-570406D



2013-07-31

		\bar{X}	R
Hct	PCV	42	39 - 45
	L/L	0.42	0.39 - 0.45

LOT



REF

CD-570406D



2013-09-30

		\bar{X}	R
Hct	PCV	42	39 - 45
	L/L	0.42	0.38 - 0.45

LOT



REF CVC 123

2012-12-31

epoc BGE, BGEM LOT 03-nnnnn-nn, 07-nnnnn-nn

		CV1:94114		CV2:91520		CV3:91619		CV4:91719		CV5:94214	
		\bar{X}	R	\bar{X}	R	\bar{X}	R	\bar{X}	R	\bar{X}	R
pH	-	6.798	6.758 - 6.838	7.116	7.076 - 7.156	7.409	7.369 - 7.449	7.614	7.574 - 7.654	7.863	7.813 - 7.913
pCO2	mmHg	92.83	81.41 - 104.25	70.72	63.79 - 77.65	40.15	36.85 - 43.45	21.37	18.07 - 24.67	14.05	10.75 - 17.35
	kPa	12.374	10.852 - 13.896	9.427	8.503 - 10.351	5.352	4.912 - 5.792	2.849	2.409 - 3.289	1.872	1.432 - 2.312
pO2	mmHg	40.26	27.96 - 52.56	73.64	61.34 - 85.94	110.75	97.13 - 124.37	155.18	136.09 - 174.27	488.81	416.47 - 561.15
	kPa	5.366	3.727 - 7.006	9.816	8.177 - 11.456	14.762	12.947 - 16.578	20.686	18.142 - 23.230	65.158	55.515 - 74.802
Na+	mmol/L mEq/L	92.3	88.2 - 96.4	109.4	105.3 - 113.5	132.4	128.3 - 136.5	155.6	151.5 - 159.7	171.0	166.1 - 175.9
K+	mmol/L mEq/L	10.79	10.30 - 11.28	1.78	1.45 - 2.11	4.17	3.84 - 4.50	6.14	5.73 - 6.55	1.78	1.45 - 2.11
Ca++	mmol/L	2.703	2.454 - 2.952	1.330	1.248 - 1.412	1.104	1.036 - 1.172	0.523	0.473 - 0.573	0.234	0.184 - 0.284
	mg/dL	10.81	9.82 - 11.81	5.32	4.99 - 5.65	4.42	4.14 - 4.69	2.09	1.89 - 2.29	0.94	0.74 - 1.14
	mEq/L	5.41	4.91 - 5.90	2.66	2.49 - 2.82	2.21	2.07 - 2.35	1.05	0.95 - 1.15	0.47	0.37 - 0.57
Glucose	mg/dL	436.0	357.5 - 514.5	75.0	66.0 - 84.0	186.2	163.9 - 208.5	260.9	213.9 - 307.9	0.6	0 - 8.0
	mmol/L	23.98	19.67 - 28.30	4.12	3.63 - 4.62	10.24	9.01 - 11.47	14.35	11.77 - 16.94	0.03	0 - 0.44
	g/L	4.360	3.575 - 5.145	0.750	0.660 - 0.839	1.862	1.639 - 2.086	2.609	2.140 - 3.079	0.006	0 - 0.080
Lactate	mmol/L	19.053	13.909 - 24.197	0.675	0.425 - 0.925	2.475	2.017 - 2.933	6.277	5.116 - 7.438	10.844	7.916 - 13.772
	mg/dL	171.66	125.32 - 218.01	6.08	3.83 - 8.33	22.30	18.17 - 26.43	56.55	46.09 - 67.01	97.70	71.32 - 124.08
	g/L	1.717	1.253 - 2.180	0.061	0.038 - 0.083	0.223	0.182 - 0.264	0.566	0.461 - 0.670	0.977	0.713 - 1.241

LOT



REF CVC 123

2013-07-30

epoc BGE, BGEM LOT 03-nnnnn-nn, 07-nnnnn-nn

		CV1:04115		CV2:01521		CV3:01620		CV4:01721		CV5:04215	
		\bar{X}	R	\bar{X}	R	\bar{X}	R	\bar{X}	R	\bar{X}	R
pH	-	6.804	6.764 - 6.844	7.125	7.085 - 7.165	7.399	7.359 - 7.439	7.617	7.577 - 7.657	7.876	7.826 - 7.926
pCO2	mmHg	87.83	79.22 - 96.44	66.65	60.12 - 73.18	40.03	36.73 - 43.33	20.96	17.66 - 24.26	13.34	10.04 - 16.64
	kPa	11.708	10.560 - 12.855	8.885	8.014 - 9.756	5.336	4.896 - 5.776	2.794	2.354 - 3.233	1.778	1.339 - 2.218
pO2	mmHg	37.35	25.05 - 49.65	71.67	59.37 - 83.97	109.65	96.16 - 123.14	150.76	132.22 - 169.30	469.53	400.04 - 539.02
	kPa	4.979	3.339 - 6.618	9.553	7.914 - 11.193	14.616	12.819 - 16.414	20.096	17.625 - 22.568	62.588	53.325 - 71.851
Na+	mmol/L mEq/L	92.3	88.2 - 96.4	109.7	105.6 - 113.8	133.1	129.0 - 137.2	157.7	153.6 - 161.8	173.3	168.4 - 178.2
K+	mmol/L mEq/L	10.77	10.28 - 11.26	1.80	1.47 - 2.13	4.14	3.81 - 4.47	6.23	5.82 - 6.64	1.81	1.48 - 2.14
Ca++	mmol/L	2.626	2.384 - 2.868	1.351	1.267 - 1.435	1.105	1.037 - 1.173	0.512	0.462 - 0.562	0.235	0.185 - 0.285
	mg/dL	10.50	9.54 - 11.47	5.40	5.07 - 5.74	4.42	4.14 - 4.69	2.05	1.85 - 2.25	0.94	0.74 - 1.14
	mEq/L	5.25	4.77 - 5.74	2.70	2.53 - 2.87	2.21	2.07 - 2.35	1.02	0.92 - 1.12	0.47	0.37 - 0.57
Glucose	mg/dL	474.6	389.2 - 560.0	76.4	67.2 - 85.6	192.3	169.2 - 215.4	278.8	228.6 - 329.0	0.3	0 - 7.7
	mmol/L	26.11	21.41 - 30.80	4.20	3.70 - 4.71	10.58	9.31 - 11.84	15.33	12.57 - 18.09	0.02	0 - 0.43
	g/L	4.746	3.892 - 5.600	0.764	0.672 - 0.856	1.923	1.692 - 2.153	2.788	2.286 - 3.290	0.003	0 - 0.077
Lactate	mmol/L	18.841	13.754 - 23.928	0.638	0.388 - 0.888	2.504	2.041 - 2.967	6.672	5.438 - 7.906	11.354	8.288 - 14.420
	mg/dL	169.75	123.92 - 215.59	5.74	3.49 - 8.00	22.56	18.39 - 26.73	60.12	48.99 - 71.24	102.30	74.68 - 129.92
	g/L	1.698	1.239 - 2.156	0.057	0.035 - 0.080	0.226	0.184 - 0.267	0.601	0.490 - 0.712	1.023	0.747 - 1.299

LOT



REF

CVC 9005



2012-06-30

			\bar{X}	R
Hct	 H1:07506	PCV	18.2	15.7 - 20.7
		L/L	0.182	0.157 - 0.207
	 H2:07606	PCV	22.2	19.7 - 24.7
		L/L	0.222	0.197 - 0.247
	 H3:07706	PCV	31.5	29.0 - 34.0
		L/L	0.315	0.290 - 0.340
	 H4:07806	PCV	44.4	41.3 - 47.5
		L/L	0.444	0.413 - 0.475
	 H5:07906	PCV	66.6	61.9 - 71.3
		L/L	0.666	0.620 - 0.713

LOT



L1: 179-1-B123

REF

179.001.012



2012-06-30

epoc BGE, BGEM LOT 03-nnnnnn-nn, 07-nnnnnn-nn

			\bar{X}	R
L1	pH	-	7.042	6.992 - 7.092
	pCO2	mmHg	70.8	62.3 - 79.3
		kPa	9.44	8.30 - 10.57
	pO2	mmHg	67.8	52.8 - 82.8
		kPa	9.03	7.03 - 11.03
	Na+	mmol/L mEq/L	113	108 - 118
	K+	mmol/L mEq/L	2.0	1.6 - 2.4
	Ca++	mmol/L	1.48	1.37 - 1.59
		mg/dL	5.9	5.5 - 6.4
		mEq/L	3.0	2.7 - 3.2
	Glucose	mg/dL	41	32 - 50
		mmol/L	2.3	1.8 - 2.8
		g/L	0.41	0.32 - 0.50
	Lactate	mmol/L	0.97	0.67 - 1.27
		mg/dL	8.8	6.1 - 11.5
g/L		0.09	0.06 - 0.11	

LOT



L1:179-1-B141

REF

179.001.012



2012-10-31

epoc BGE, BGEM LOT 03-nnnnn-nn, 07-nnnnn-nn

			\bar{X}	R
L1	pH	-	7.046	6.996 - 7.096
	pCO2	mmHg	71.8	63.2 - 80.4
		kPa	9.57	8.43 - 10.72
	pO2	mmHg	66.5	51.5 - 81.5
		kPa	8.86	6.86 - 10.86
	Na+	mmol/L mEq/L	113	108 - 118
	K+	mmol/L mEq/L	2.0	1.6 - 2.4
	Ca++	mmol/L	1.49	1.38 - 1.60
		mg/dL	6.0	5.5 - 6.4
		mEq/L	3.0	2.8 - 3.2
	Glucose	mg/dL	41	32 - 50
		mmol/L	2.2	1.7 - 2.7
		g/L	0.41	0.32 - 0.50
	Lactate	mmol/L	0.95	0.65 - 1.25
		mg/dL	8.6	5.9 - 11.3
g/L		0.09	0.06 - 0.11	

LOT



REF

179.002.012



2011-12-31

epoc BGE, BGEM LOT 03-nnnnnn-nn, 07-nnnnnn-nn

		\bar{X}	R	
L2	pH	-	7.347 - 7.447	
	pCO2	mmHg	36.5	32.5 - 40.5
		kPa	4.87	4.33 - 5.40
	pO2	mmHg	101.3	86.1 - 116.5
		kPa	13.5	11.48 - 15.53
	Na+	mmol/L mEq/L	138	133 - 143
	K+	mmol/L mEq/L	3.8	3.4 - 4.2
	Ca++	mmol/L	1.17	1.08 - 1.26
		mg/dL	4.7	4.3 - 5.0
		mEq/L	2.3	2.2 - 2.5
	Glucose	mg/dL	106	91 - 121
		mmol/L	5.8	5.0 - 6.7
		g/L	1.06	0.91 - 1.22
	Lactate	mmol/L	2.96	2.29 - 3.63
		mg/dL	26.7	20.7 - 32.7
g/L		0.27	0.21 - 0.33	

LOT



L2:179-2-B142

REF

179.002.012



2012-10-31

epoc BGE, BGEM LOT 03-nnnnnn-nn, 07-nnnnnn-nn

			\bar{X}	R
L2	pH	-	7.390	7.340 - 7.440
	pCO2	mmHg	37.7	33.7 - 41.7
		kPa	5.02	4.49 - 5.56
	pO2	mmHg	103.6	88.1 - 119.1
		kPa	13.81	11.74 - 15.88
	Na+	mmol/L mEq/L	139	134 - 144
	K+	mmol/L mEq/L	3.9	3.5 - 4.3
	Ca++	mmol/L	1.18	1.09 - 1.27
		mg/dL	4.7	4.4 - 5.1
		mEq/L	2.4	2.2 - 2.5
	Glucose	mg/dL	106	91 - 121
		mmol/L	5.8	5.0 - 6.7
		g/L	1.06	0.90 - 1.21
	Lactate	mmol/L	2.87	2.22 - 3.52
		mg/dL	25.8	20.0 - 31.7
g/L		0.26	0.20 - 0.32	

LOT



L3: 179-3-B123

REF

179.003.012



2012-06-30

epoc BGE, BGEM LOT 03-nnnnnn-nn, 07-nnnnnn-nn

			\bar{X}	R
L3	pH	-	7.633	7.583 - 7.683
	pCO2	mmHg	21.5	17.5 - 25.5
		kPa	2.86	2.33 - 3.39
	pO2	mmHg	189.7	161.2 - 218.2
		kPa	25.29	21.49 - 29.08
	Na+	mmol/L mEq/L	162	157 - 167
	K+	mmol/L mEq/L	5.8	5.3 - 6.3
	Ca++	mmol/L	0.67	0.61 - 0.73
		mg/dL	2.7	2.4 - 2.9
		mEq/L	1.3	1.2 - 1.5
	Glucose	mg/dL	240	187 - 293
		mmol/L	13.2	10.3 - 16.1
		g/L	2.40	1.87 - 2.93
	Lactate	mmol/L	5.92	4.59 - 7.25
		mg/dL	53.4	41.4 - 65.4
g/L		0.53	0.41 - 0.65	

LOT



L3:179-3-B142

REF

179.003.012



2012-10-31

epoc BGE, BGEM LOT 03-nnnnnn-nn, 07-nnnnnn-nn

			\bar{X}	R
L3	pH	-	7.648	7.598 - 7.698
	pCO2	mmHg	21.3	17.3 - 25.3
		kPa	2.84	2.31 - 3.38
	pO2	mmHg	181.8	154.5 - 209.1
		kPa	24.24	20.60 - 27.88
	Na+	mmol/L mEq/L	162	157 - 167
	K+	mmol/L mEq/L	5.9	5.4 - 6.4
	Ca++	mmol/L	0.67	0.61 - 0.73
		mg/dL	2.7	2.4 - 2.9
		mEq/L	1.3	1.2 - 1.5
	Glucose	mg/dL	244	190 - 298
		mmol/L	13.4	10.5 - 16.4
		g/L	2.44	1.90 - 2.98
	Lactate	mmol/L	5.94	4.60 - 7.28
		mg/dL	53.6	41.5 - 65.6
g/L		0.54	0.42 - 0.66	

LOT



REF

183.000.005



2012-04-30

epoc BGE, BGEM LOT 03-nnnnnn, 07-nnnnnn

		 CV1:183-1-B116		 CV2:183-2-B116		 CV3:183-3-B116		 CV4:183-4-B116		 CV5:183-5-B116	
		\bar{X}	R	\bar{X}	R	\bar{X}	R	\bar{X}	R	\bar{X}	R
pH	-	7.035	6.995 - 7.075	7.380	7.340 - 7.420	7.623	7.583 - 7.663	6.695	6.655 - 6.735	7.948	7.898 - 7.998
pCO2	mmHg	71.34	64.35 - 78.33	38.77	35.47 - 42.07	22.50	19.20 - 25.80	135.97	119.25 - 152.69	14.05	10.75 - 17.35
	kPa	9.509	8.578 - 10.441	5.169	4.729 - 5.609	3.000	2.560 - 3.439	18.124	15.895 - 20.354	1.873	1.433 - 2.313
pO2	mmHg	63.98	51.68 - 76.28	102.36	89.77 - 114.95	183.30	160.75 - 205.85	30.90	18.60 - 43.20	587.76	500.77 - 674.75
	kPa	8.528	6.888 - 10.168	13.645	11.967 - 15.323	24.433	21.428 - 27.439	4.119	2.480 - 5.759	78.349	66.753 - 89.944
Na+	mmol/L mEq/L	112.9	108.8 - 117.0	139.5	135.4 - 143.6	162.5	158.4 - 166.6	84.5	80.4 - 88.6	179.6	174.7 - 184.5
K+	mmol/L mEq/L	2.04	1.71 - 2.37	3.85	3.52 - 4.18	5.87	5.46 - 6.28	7.33	6.92 - 7.74	11.80	11.31 - 12.29
Ca++	mmol/L	1.492	1.399 - 1.585	1.175	1.102 - 1.248	0.676	0.626 - 0.726	3.559	3.232 - 3.886	0.319	0.269 - 0.369
	mg/dL	5.97	5.60 - 6.34	4.70	4.41 - 4.99	2.70	2.50 - 2.90	14.24	12.93 - 15.55	1.28	1.08 - 1.48
	mEq/L	2.98	2.80 - 3.17	2.35	2.20 - 2.50	1.35	1.25 - 1.45	7.12	6.46 - 7.77	0.64	0.54 - 0.74
Glucose	mg/dL	39.8	32.4 - 47.2	104.9	92.3 - 117.5	240.2	197.0 - 283.4	21.4	14.0 - 28.8	646.8	530.4 - 763.2
	mmol/L	2.19	1.78 - 2.60	5.77	5.08 - 6.46	13.21	10.84 - 15.59	1.18	0.77 - 1.58	35.58	29.17 - 41.98
	g/L	0.398	0.324 - 0.472	1.049	0.923 - 1.175	2.402	1.970 - 2.835	0.214	0.140 - 0.288	6.468	5.304 - 7.632
Lactate	mmol/L	0.945	0.695 - 1.195	2.872	2.341 - 3.403	5.890	4.800 - 6.980	0.532	0.282 - 0.782	17.715	12.932 - 22.498
	mg/dL	8.52	6.26 - 10.77	25.88	21.09 - 30.66	53.07	43.25 - 62.89	4.79	2.54 - 7.04	159.62	116.52 - 202.71
	g/L	0.085	0.063 - 0.108	0.259	0.211 - 0.307	0.531	0.433 - 0.629	0.048	0.025 - 0.070	1.596	1.165 - 2.027

LOT



183-B143

REF

183.000.005



2012-10-31

epoc BGE, BGEM LOT 03-nnnnnn, 07-nnnnnn

		 L1:183-1-B141		 L2:183-2-B142		 L3:183-3-B142		 L4:183-4-B141		 L5:183-5-B141	
		\bar{X}	R	\bar{X}	R	\bar{X}	R	\bar{X}	R	\bar{X}	R
pH	-	7.046	7.006 - 7.086	7.390	7.350 - 7.430	7.648	7.608 - 7.688	6.710	6.670 - 6.750	7.957	7.907 - 8.007
pCO2	mmHg	71.83	64.79 - 78.87	37.69	34.39 - 40.99	21.34	18.04 - 24.64	131.97	115.74 - 148.20	13.74	10.44 - 17.04
	kPa	9.575	8.636 - 10.513	5.023	4.584 - 5.463	2.845	2.405 - 3.285	17.591	15.428 - 19.755	1.831	1.391 - 2.271
pO2	mmHg	66.48	54.18 - 78.78	103.58	90.84 - 116.32	181.39	159.08 - 203.70	33.03	20.73 - 45.33	577.63	492.14 - 663.12
	kPa	8.862	7.222 - 10.502	13.807	12.109 - 15.505	24.180	21.205 - 27.154	4.403	2.763 - 6.043	76.998	65.602 - 88.394
Na+	mmol/L mEq/L	113.0	108.9 - 117.1	139.4	135.3 - 143.5	162.2	158.1 - 166.3	85.3	81.2 - 89.4	180.4	175.5 - 185.3
K+	mmol/L mEq/L	2.05	1.72 - 2.38	3.94	3.61 - 4.27	5.87	5.46 - 6.28	7.40	6.99 - 7.81	11.87	11.38 - 12.36
Ca++	mmol/L	1.488	1.396 - 1.580	1.179	1.106 - 1.252	0.672	0.622 - 0.722	3.585	3.255 - 3.915	0.320	0.270 - 0.370
	mg/dL	5.95	5.58 - 6.32	4.72	4.42 - 5.01	2.69	2.49 - 2.89	14.34	13.02 - 15.66	1.28	1.08 - 1.48
	mEq/L	2.98	2.79 - 3.16	2.36	2.21 - 2.50	1.34	1.24 - 1.44	7.17	6.51 - 7.83	0.64	0.54 - 0.74
Glucose	mg/dL	40.6	33.2 - 48.0	105.8	93.1 - 118.5	244.2	200.2 - 288.2	24.0	16.6 - 31.4	665.4	545.6 - 785.2
	mmol/L	2.23	1.83 - 2.64	5.82	5.12 - 6.52	13.43	11.01 - 15.85	1.32	0.91 - 1.72	36.60	30.01 - 43.19
	g/L	0.406	0.332 - 0.480	1.058	0.931 - 1.185	2.442	2.002 - 2.881	0.240	0.166 - 0.314	6.654	5.456 - 7.852
Lactate	mmol/L	0.954	0.704 - 1.204	2.868	2.337 - 3.399	5.945	4.845 - 7.045	0.619	0.369 - 0.869	18.423	13.449 - 23.397
	mg/dL	8.60	6.34 - 10.85	25.84	21.06 - 30.62	53.56	43.65 - 63.47	5.57	3.32 - 7.83	165.99	121.17 - 210.80
	g/L	0.086	0.063 - 0.108	0.258	0.211 - 0.306	0.536	0.437 - 0.635	0.056	0.033 - 0.078	1.660	1.212 - 2.108

LOT



REF

190.000.005



2012-04-30

epoc BGE, BGEM LOT 03-nnnnnn-nn, 07-nnnnnn-nn

		\bar{X}	R	
Hct	 H1:190-1-B116	PCV	9.2	6.7 - 11.7
		L/L	0.092	0.067 - 0.117
	 H2:190-2-B116	PCV	19.3	16.8 - 21.8
		L/L	0.193	0.168 - 0.218
	 H3:190-3-B116	PCV	31.4	28.9 - 33.9
		L/L	0.314	0.289 - 0.339
	 H4:190-4-B116	PCV	47.0	43.7 - 50.3
		L/L	0.470	0.437 - 0.502
	 H5:190-5-B116	PCV	62.8	58.4 - 67.2
		L/L	0.628	0.584 - 0.672

LOT



REF

190.000.005



2012-10-31

epoc BGE, BGEM LOT 03-nnnnnn-nn, 07-nnnnnn-nn

			\bar{X}	R
Hct	 H1:190-1-B142	PCV	9.2	6.7 - 11.7
		L/L	0.092	0.067 - 0.117
	 H2:190-2-B142	PCV	19.2	16.7 - 21.7
		L/L	0.192	0.167 - 0.217
	 H3:190-3-B142	PCV	31.6	29.1 - 34.1
		L/L	0.316	0.291 - 0.341
	 H4:190-4-B142	PCV	46.8	43.5 - 50.1
		L/L	0.468	0.435 - 0.501
	 H5:190-5-B142	PCV	62.8	58.4 - 67.2
		L/L	0.628	0.584 - 0.671

LOT



REF

195.002.012



2012-01-31

		\bar{X}	R
Hct	PCV	19	16 - 22
	L/L	0.19	0.16 - 0.22

LOT



HA:195-2-B142

REF

195.002.012



2012-10-31

		\bar{X}	R
Hct	PCV	19	16 - 22
	L/L	0.19	0.16 - 0.22

LOT



REF

195.004.012



2012-01-31

		\bar{X}	R
Hct	PCV	47	43 - 51
	L/L	0.47	0.43 - 0.50

LOT



HB:195-4-B142

REF

195.004.012



2012-10-31

		\bar{X}	R
Hct	PCV	47	43 - 51
	L/L	0.47	0.43 - 0.51

LOT



HC: 195-3-B121

REF

195.003.012



2012-05-31

		\bar{X}	R
Hct	PCV	31	28 - 34
	L/L	0.31	0.28 - 0.34

LOT



HC:195-3-B126

REF

195.003.012



2012-06-30

		\bar{x}	R
Hct	PCV	32	29 - 35
	L/L	0.32	0.29 - 0.35

LOT



HC:195-3-B142

REF

195.003.012



2012-10-31

		\bar{X}	R
Hct	PCV	32	29 - 35
	L/L	0.32	0.29 - 0.35